Specifications

Worktops


25-33mm / 1-1.2" Thick 800mm / 31.5" W 1400-2000mm / 55.1-78.7" L Leg Configurations

Fixed height
Single stage type A
Single stage type B
Dual stage

720 & 1050mm / 28.3 & 41.3" 610-1000mm / 24-39.3" 700-1200mm / 27.6-47.3" 620-1220mm / 24.4-48"

Workstations

Enhanced dual stage



Configurations

Worktops

25-33mm / 1-1.2" Thick 800mm / 31.5" W 1400-2000mm / 55.1-78.7" L

Leg Configurations

Fixed height
Single stage type A
Single stage type B
Dual stage

720 & 1050mm / 28.3 & 41.3" 610-1000mm / 24-39.3" 700-1200mm / 27.6-47.3" 620-1220mm / 24.4-48"

Workstations

Enhanced Worktop / Back-to-back cluster

Enhanced Worktop / Back-to-back cluster of four with articulator






Rectilinear Worktop / back-to-back cluster


Rectilinear Worktop / Back-to-back cluster with dividing panel





Rectilinear Worktop / Back-to-back cluster of four

120° Three-way cluster





All measurements are in millimeters and inches



Configurations

Worktops

25-33mm / 1-1.2" Thick 800mm / 31.5" W 1400-2000mm / 55.1-78.7" L

Leg Configurations

Fixed height
Single stage type A
Single stage type B
Dual stage


720 & 1050mm / 28.3 & 41.3" 610-1000mm / 24-39.3" 700-1200mm / 27.6-47.3" 620-1220mm / 24.4-48"

Workstations

90° Two-way workstation




90° Four-way workstation



120° Three-way circular workstation



90° Four-way circular workstation





Configurations

Meeting Tables

Rectilinear T-leg

T-leg Fixed 720mm / 28.3"

A-leg Height adjustable 610-900mm / 24-35.4" B-leg Height adjustable 700-1050mm / 27.5-41.3"

Width 800-900mm/31.5-35.4" Length 1600-2600mm/63-102.3"



Rectilinear column leg

T-leg Fixed 720mm / 28.3"

A-leg Height adjustable 610-900mm / 24-35.4" B-leg Height adjustable 700-1050mm / 27.5-41.3"

Width 1300mm / 51.1"

Length 2400-3000mm/94.5-118.1"



Rectilinear bridged leg

T-leg Fixed 720mm / 28.3"

A-leg Height adjustable 610–900mm / 24–35.4" B-leg Height adjustable 700–1050mm / 27.5–41.3"

Width 1600mm / 63"

Length 4800-6000mm / 189-236.2"

