

Aire



technical



Aire

Aire creates infinite possibilities with one core structure and a variety of interchangeable elements that address a workplace's evolving functional and emotional needs, and stimulates rich, effective workspaces.

Index

fold tables **02**
round fold tables **03**
meeting tables **04–05**
round meeting tables **06**
work benches **07–09**
returns **10**
specifications **11**
aire media stand **12**
custom combinations **12**
lettric softwiring system **13–14**
aire electrical accessories **15**
legs **16**



Aire

Fold Tables

Aire Fold Tables are available in a range of sizes, insets and finishes. The table frame is a metal construction with a powder coated finish from the Schiavello ColourLab range. Fold Tables come standard with 50mm radiused corners and sealed sharknose to the long edges. The sharknose can be painted but must be specified at time of quote. All Fold Tables are mounted on castors and have a worksurface height of 720mm. **Power boxes** - if adding a power box, please confirm the placement with Schiavello at time of quote. Please note: standard leg tables cannot locate power boxes in the centre of the table due to the cross beam.

Fold table - standard leg



Rectangular Fold Table - standard leg - set-in 60mm

code	AFT-1600.850-60	code	AFT-1600.950-60
	AFT-1800.850-60		AFT-1800.950-60
	AFT-2000.850-60		AFT-2000.950-60
	AFT-2400.850-60		AFT-2400.950-60

Rectangular Fold Table - standard leg - set-in 200mm

code	AFT-1600.850-200	code	AFT-1600.950-200
	AFT-1800.850-200		AFT-1800.950-200
	AFT-2000.850-200		AFT-2000.950-200
	AFT-2400.850-200		AFT-2400.950-200





Table set for storage

Fold Table - wide leg



Rectangular Fold Table - wide leg - set-in 60mm

code	AFT-1600.1000-60	code	AFT-1600.1100-60	code	AFT-1600.1200-60
	AFT-1800.1000-60		AFT-1800.1100-60		AFT-1800.1200-60
	AFT-2000.1000-60		AFT-2000.1100-60		AFT-2000.1200-60
	AFT-2400.1000-60		AFT-2400.1100-60		AFT-2400.1200-60

Rectangular Fold Table - wide leg - set-in 200mm

code	AFT-1600.1000-200	code	AFT-1600.1100-200	code	AFT-1600.1200-200
	AFT-1800.1000-200		AFT-1800.1100-200		AFT-1800.1200-200
	AFT-2000.1000-200		AFT-2000.1100-200		AFT-2000.1200-200
	AFT-2400.1000-200		AFT-2400.1100-200		AFT-2400.1200-200





Table set for storage

Aire

Round Fold Tables

Round Aire Fold Tables are available in a range of sizes and finishes. The table frame is a metal construction with a powder coated finish from the standard Schiavello ColourLab range. All Fold Tables are mounted on castors and have a worksurface height of 720mm. Optional sharknose edge available upon request. The edge can be sealed or painted; please specify at time of quote. **Power boxes** - if adding a power box, please confirm the placement with Schiavello at time of quote. Please note: standard leg tables cannot locate power boxes in the centre of the table due to the cross beam.

Round Fold Table - standard leg



Round Fold Table - standard leg

code	AFT-1050R
	AFT-1200R






Table set for storage

Round Fold Table - wide leg



Round Fold Table - wide leg

code	AFT-1300R
	AFT-1450R






Table set for storage

Aire

Meeting Tables

Aire Meeting Tables feature cast metal legs and steel support beams. Aire Meeting Table legs come in two types: straight leg, which is available in fixed height, adjustable height or mobile leg versions and splayed leg, which has the the option of fixed height or mobile. Meeting Tables come standard with rectangle 25mm worksurfaces. Standard set-ins of 315mm, 150mm and 35mm are shown below. Please refer to the listings for complete leg, set-in and foot combinations. **Power boxes** - if adding a power box, please confirm the size and placement of the cutout with Schiavello at time of quote.

Meeting Table type 'A'
- straight leg
- adjustable foot
- set-in 315mm
- height range 660mm-760mm
note: standard worktop thickness 25mm




Straight leg 315mm overhang

code	AMT-A-1200.900
	AMT-A-1500.900
	AMT-A-1800.900
	AMT-A-2100.900
	AMT-A-2400.900
	AMT-A-2700.900
	AMT-A-3000.900

code	AMT-A-1200.1200
	AMT-A-1500.1200
	AMT-A-1800.1200
	AMT-A-2100.1200
	AMT-A-2400.1200
	AMT-A-2700.1200
	AMT-A-3000.1200

Meeting Table type 'B'
- straight leg
- adjustable foot
- set-in 35mm
- height range 660mm-760mm
note: standard worktop thickness 25mm




Straight leg 35mm overhang

code	AMT-B-1200.900
	AMT-B-1500.900
	AMT-B-1800.900
	AMT-B-2100.900
	AMT-B-2400.900
	AMT-B-2700.900
	AMT-B-3000.900

code	AMT-B-1200.1200
	AMT-B-1500.1200
	AMT-B-1800.1200
	AMT-B-2100.1200
	AMT-B-2400.1200
	AMT-B-2700.1200
	AMT-B-3000.1200

Meeting Table type 'C'
- straight leg
- fixed foot
- set-in 315mm
- height 720mm
note: standard worktop thickness 25mm




Straight leg 315mm overhang

code	AMT-C-1200.900
	AMT-C-1500.900
	AMT-C-1800.900
	AMT-C-2100.900
	AMT-C-2400.900
	AMT-C-2700.900
	AMT-C-3000.900

code	AMT-C-1200.1200
	AMT-C-1500.1200
	AMT-C-1800.1200
	AMT-C-2100.1200
	AMT-C-2400.1200
	AMT-C-2700.1200
	AMT-C-3000.1200

Meeting Table type 'D'
- straight leg
- fixed foot
- set-in 35mm
- height 720mm
note: standard worktop thickness 25mm




Straight leg 35mm overhang

code	AMT-D-1200.900
	AMT-D-1500.900
	AMT-D-1800.900
	AMT-D-2100.900
	AMT-D-2400.900
	AMT-D-2700.900
	AMT-D-3000.900

code	AMT-D-1200.1200
	AMT-D-1500.1200
	AMT-D-1800.1200
	AMT-D-2100.1200
	AMT-D-2400.1200
	AMT-D-2700.1200
	AMT-D-3000.1200

Meeting Table type 'E'
- straight leg
- mobile foot
- set-in 315mm
- height 720mm
note: standard worktop thickness 25mm
Castor colour: silver, black or white




Straight leg 315mm overhang

code	AMT-E-1200.900
	AMT-E-1500.900
	AMT-E-1800.900
	AMT-E-2100.900
	AMT-E-2400.900
	AMT-E-2700.900
	AMT-E-3000.900


code	AMT-E-1200.1200
	AMT-E-1500.1200
	AMT-E-1800.1200
	AMT-E-2100.1200
	AMT-E-2400.1200
	AMT-E-2700.1200
	AMT-E-3000.1200

Aire

Meeting Tables



Meeting Table type 'F'
- straight leg
- mobile foot
- set-in 35mm
- height 720mm
note: standard worktop thickness 25mm
Castor colour: silver, black or white




Straight leg 35mm overhang

code	AMT-F-900.900
	AMT-F-1500.900
	AMT-F-1800.900
	AMT-F-2100.900
	AMT-F-2400.900
	AMT-F-2700.900
	AMT-F-3000.900

code	AMT-F-1200.1200
	AMT-F-1500.1200
	AMT-F-1800.1200
	AMT-F-2100.1200
	AMT-F-2400.1200
	AMT-F-2700.1200
	AMT-F-3000.1200

Meeting Table type 'G'
- splayed leg
- fixed foot
- set-in 315mm
- height 720mm
note: standard worktop thickness 25mm




Splayed leg 315mm overhang

code	AMT-G-900.900
	AMT-G-1500.900
	AMT-G-1800.900
	AMT-G-2100.900
	AMT-G-2400.900
	AMT-G-2700.900
	AMT-G-3000.900

code	AMT-G-1200.1200
	AMT-G-1500.1200
	AMT-G-1800.1200
	AMT-G-2100.1200
	AMT-G-2400.1200
	AMT-G-2700.1200
	AMT-G-3000.1200

Meeting Table type 'H'
- splayed leg
- fixed foot
- set-in 150mm
- height 720mm
note: standard worktop thickness 25mm




Splayed leg 150mm overhang

code	AMT-H-1200.900
	AMT-H-1500.900
	AMT-H-1800.900
	AMT-H-2100.900
	AMT-H-2400.900
	AMT-H-2700.900
	AMT-H-3000.900

code	AMT-H-1200.1200
	AMT-H-1500.1200
	AMT-H-1800.1200
	AMT-H-2100.1200
	AMT-H-2400.1200
	AMT-H-2700.1200
	AMT-H-3000.1200

Meeting Table type 'I'
- splayed leg
- mobile foot
- set-in 315mm
- height 720mm
note: standard worktop thickness 25mm
Castor colour: silver, black or white




Splayed leg 315mm overhang

code	AMT-I-1200.900
	AMT-I-1500.900
	AMT-I-1800.900
	AMT-I-2100.900
	AMT-I-2400.900
	AMT-I-2700.900
	AMT-I-3000.900

code	AMT-I-1200.1200
	AMT-I-1500.1200
	AMT-I-1800.1200
	AMT-I-2100.1200
	AMT-I-2400.1200
	AMT-I-2700.1200
	AMT-I-3000.1200

Meeting Table type 'J'
- splayed leg
- mobile foot
- set-in 150mm
- height 720mm
note: standard worktop thickness 25mm
Castor colour: silver, black or white



Splayed leg 150mm overhang

code	AMT-J-1200.900
	AMT-J-1500.900
	AMT-J-1800.900
	AMT-J-2100.900
	AMT-J-2400.900
	AMT-J-2700.900
	AMT-J-3000.900

code	AMT-J-1200.1200
	AMT-J-1500.1200
	AMT-J-1800.1200
	AMT-J-2100.1200
	AMT-J-2400.1200
	AMT-J-2700.1200
	AMT-J-3000.1200

Aire

Round Meeting Tables


Round Aire Meeting Tables feature cast metal legs and steel support beams. Round Aire Meeting Table legs come in either straight or splayed configurations. Meeting Tables come standard with a 25mm worksurface; sharknose available on request. Round Meeting Tables have a minimum size of 1000mm diameter and a maximum of 1500mm diameter.

Power boxes - if adding a power box, please confirm the size and placement of the cutout with Schiavello at time of quote.


Round Meeting Table type 'A'
- straight leg
- fixed foot
- height 720mm
note: standard worktop thickness 25mm




code	AMT-A-1000R
	AMT-A-1150R
	AMT-A-1350R
	AMT-A-1500R





Round Meeting Table type 'B'
- straight leg
- mobile foot
- height 720mm
note: standard worktop thickness 25mm
Castor colour: silver, black or white




code	AMT-B-1000R
	AMT-B-1150R
	AMT-B-1350R
	AMT-B-1500R





Round Meeting Table type 'C'
- splayed leg
- fixed foot
- height 720mm
note: standard worktop thickness 25mm




code	AMT-C-1000R
	AMT-C-1150R
	AMT-C-1350R
	AMT-C-1500R



Round Meeting Table type 'D'
- splayed leg
- mobile foot
- height 720mm
note: standard worktop thickness 25mm
Castor colour: silver, black or white



code	AMT-D-1000R
	AMT-D-1150R
	AMT-D-1350R
	AMT-D-1500R



Aire

Work Benches I Share Benches

Aire Work Benches incorporate back-to-back tables in linear arrangements. Work Benches are only available with fixed height, straight legs and offer two standard set-ins of 35mm and 315mm. At the end of a run, a full end leg is supplied while in between worksurfaces either central or panel legs are utilised to support the junction.


There are three versions of linear setups: Share Benches, Scope Benches and Systems Benches. To calculate the overall width of the work bench, add the worktop depths plus the spacing between the two worksurfaces. **Share Benches** have a 10mm gap between the back-to-back worksurfaces. **Scope Benches** feature a Scope rail fitted between the back-to-back worksurfaces. Scope rails add 60mm to the overall work bench width. Both Share and Scope Work Benches are supplied with a central leg supporting the junction where desk tops come together. **Systems Benches** incorporate panels fitted down the centre of the bench. The panels are mounted with desk-to-panel brackets attached to the underside of the worksurface. The worksurface is supported by panel legs mounted either side of the panel. The overall work bench width varies with the thickness of the panels used. Add 10mm to the panel width to get the final size. Aire can utilise Systems 30, 45, 70 and E45 panels as well as Vide.

The number of work benches in the run is indicated by the last digit of the code. An ASPT-4800.800-2 consists of "2" 2400mm work benches; an ASPT-4800.800-3 consists of "3" 1600mm benches; all benches are back-to-back.


Power boxes - if adding a power box, please confirm the size and placement of the cutout with Schiavello at time of quote.



Share Benches




Scope Benches




Systems Benches

Share Bench type 'A'
- straight leg
- set-in 35mm
- fixed height - 720mm
note: standard worktop thickness 25mm



end view



top view



side view

600 deep worksurfaces

code	ASHA-1200.600-1
	ASHA-1500.600-1
	ASHA-1800.600-1
	ASHA-2100.600-1
	ASHA-2400.600-1
	ASHA-2400.600-2
	ASHA-3000.600-2
	ASHA-3600.600-2
	ASHA-3600.600-3
	ASHA-4200.600-2
	ASHA-4800.600-2
	ASHA-4800.600-3
	ASHA-5400.600-3
	ASHA-6000.600-2
	ASHA-6000.600-4
	ASHA-6000.600-5


700 deep worksurfaces

code	ASHA-1200.700-1
	ASHA-1500.700-1
	ASHA-1800.700-1
	ASHA-2100.700-1
	ASHA-2400.700-1
	ASHA-2400.700-2
	ASHA-3000.700-2
	ASHA-3600.700-2
	ASHA-3600.700-3
	ASHA-4200.700-2
	ASHA-4800.700-2
	ASHA-4800.700-3
	ASHA-5400.700-3
	ASHA-6000.700-2
	ASHA-6000.700-4
	ASHA-6000.700-5


800 deep worksurfaces

code	ASHA-1200.800-1
	ASHA-1500.800-1
	ASHA-1800.800-1
	ASHA-2100.800-1
	ASHA-2400.800-1
	ASHA-2400.800-2
	ASHA-3000.800-2
	ASHA-3600.800-2
	ASHA-3600.800-3
	ASHA-4200.800-2
	ASHA-4800.800-2
	ASHA-4800.800-3
	ASHA-5400.800-3
	ASHA-6000.800-2
	ASHA-6000.800-4
	ASHA-6000.800-5


Share Bench type 'B'
- straight leg
- set-in 315mm
- fixed height - 720mm
note: standard worktop thickness 25mm



end view



top view



side view

600 deep worksurfaces

code	ASHB-1200.600-1
	ASHB-1500.600-1
	ASHB-1800.600-1
	ASHB-2100.600-1
	ASHB-2400.600-1
	ASHB-2400.600-2
	ASHB-3000.600-2
	ASHB-3600.600-2
	ASHB-3600.600-3
	ASHB-4200.600-2
	ASHB-4800.600-2
	ASHB-4800.600-3
	ASHB-5400.600-3
	ASHB-6000.600-2
	ASHB-6000.600-4
	ASHB-6000.600-5

700 deep worksurfaces

code	ASHB-1200.700-1
	ASHB-1500.700-1
	ASHB-1800.700-1
	ASHB-2100.700-1
	ASHB-2400.700-1
	ASHB-2400.700-2
	ASHB-3000.700-2
	ASHB-3600.700-2
	ASHB-3600.700-3
	ASHB-4200.700-2
	ASHB-4800.700-2
	ASHB-4800.700-3
	ASHB-5400.700-3
	ASHB-6000.700-2
	ASHB-6000.700-4
	ASHB-6000.700-5

800 deep worksurfaces

code	ASHB-1200.800-1
	ASHB-1500.800-1
	ASHB-1800.800-1
	ASHB-2100.800-1
	ASHB-2400.800-1
	ASHB-2400.800-2
	ASHB-3000.800-2
	ASHB-3600.800-2
	ASHB-3600.800-3
	ASHB-4200.800-2
	ASHB-4800.800-2
	ASHB-4800.800-3
	ASHB-5400.800-3
	ASHB-6000.800-2
	ASHB-6000.800-4
	ASHB-6000.800-5


Aire

Work Benches | Scope Benches

Aire Scope Benches feature a Scope rail down the spine of the table. The Scope rail can be used to hold panels, trays and other accessories. Please see the Scope brochure and technical manual for full details.



Scope Benches type 'A'
- straight leg
- set-in 35mm
- fixed height - 720mm
note: standard worktop thickness 25mm



600 deep
worksurfaces

code	ASCA-1200.600-1
	ASCA-1500.600-1
	ASCA-1800.600-1
	ASCA-2100.600-1
	ASCA-2400.600-1
	ASCA-2400.600-2
	ASCA-3000.600-2
	ASCA-3600.600-2
	ASCA-3600.600-3
	ASCA-4200.600-2
	ASCA-4800.600-2
	ASCA-4800.600-3
	ASCA-5400.600-3
	ASCA-6000.600-2
	ASCA-6000.600-4
	ASCA-6000.600-5

700 deep
worksurfaces

code	ASCA-1200.700-1
	ASCA-1500.700-1
	ASCA-1800.700-1
	ASCA-2100.700-1
	ASCA-2400.700-1
	ASCA-2400.700-2
	ASCA-3000.700-2
	ASCA-3600.700-2
	ASCA-3600.700-3
	ASCA-4200.700-2
	ASCA-4800.700-2
	ASCA-4800.700-3
	ASCA-5400.700-3
	ASCA-6000.700-2
	ASCA-6000.700-4
	ASCA-6000.700-5

800 deep
worksurfaces


code	ASCA-1200.800-1
	ASCA-1500.800-1
	ASCA-1800.800-1
	ASCA-2100.800-1
	ASCA-2400.800-1
	ASCA-2400.800-2
	ASCA-3000.800-2
	ASCA-3600.800-2
	ASCA-3600.800-3
	ASCA-4200.800-2
	ASCA-4800.800-2
	ASCA-4800.800-3
	ASCA-5400.800-3
	ASCA-6000.800-2
	ASCA-6000.800-4
	ASCA-6000.800-5

Aire


Work Benches | Systems Benches

Aire Systems Bench incorporates the various Systems panels offered by Schiavello including 30, 45, 70 and E45. The Systems Benches feature three options for the end finishing detail where the panel finishes short of the worksurface: open, plugged and solid. Please note: solid end finishing is the most expensive option. Please specify the end finish type with your order.
note: panel legs are only used between worksurfaces and not used at the end of runs.

Systems Benches



Systems Bench type 'A'
- straight leg
- set-in 35mm
- fixed height - 720mm
note: standard worktop thickness 25mm
Please specify panel type: System 30, 45, E45 or Vide Panels



600 deep
worksurfaces

code	ASYA-1200.600-1
	ASYA-1500.600-1
	ASYA-1800.600-1
	ASYA-2100.600-1
	ASYA-2400.600-1
	ASYA-2400.600-2
	ASYA-3000.600-2
	ASYA-3600.600-2
	ASYA-3600.600-3
	ASYA-4200.600-2
	ASYA-4800.600-2
	ASYA-4800.600-3
	ASYA-5400.600-3
	ASYA-6000.600-2
	ASYA-6000.600-4
	ASYA-6000.600-5


700 deep
worksurfaces

code	ASYA-1200.700-1
	ASYA-1500.700-1
	ASYA-1800.700-1
	ASYA-2100.700-1
	ASYA-2400.700-1
	ASYA-2400.700-2
	ASYA-3000.700-2
	ASYA-3600.700-2
	ASYA-3600.700-3
	ASYA-4200.700-2
	ASYA-4800.700-2
	ASYA-4800.700-3
	ASYA-5400.700-3
	ASYA-6000.700-2
	ASYA-6000.700-4
	ASYA-6000.700-5

800 deep
worksurfaces

code	ASYA-1200.800-1
	ASYA-1500.800-1
	ASYA-1800.800-1
	ASYA-2100.800-1
	ASYA-2400.800-1
	ASYA-2400.800-2
	ASYA-3000.800-2
	ASYA-3600.800-2
	ASYA-3600.800-3
	ASYA-4200.800-2
	ASYA-4800.800-2
	ASYA-4800.800-3
	ASYA-5400.800-3
	ASYA-6000.800-2
	ASYA-6000.800-4
	ASYA-6000.800-5

Scope Benches type 'B'
- straight leg
- set-in 315mm
- fixed height - 720mm
note: standard worktop thickness 25mm



600 deep
worksurfaces

code	ASCB-1200.600-1
	ASCB-1500.600-1
	ASCB-1800.600-1
	ASCB-2100.600-1
	ASCB-2400.600-1
	ASCB-2400.600-2
	ASCB-3000.600-2
	ASCB-3600.600-2
	ASCB-3600.600-3
	ASCB-4200.600-2
	ASCB-4800.600-2
	ASCB-4800.600-3
	ASCB-5400.600-3
	ASCB-6000.600-2
	ASCB-6000.600-4
	ASCB-6000.600-5


700 deep
worksurfaces

code	ASCB-1200.700-1
	ASCB-1500.700-1
	ASCB-1800.700-1
	ASCB-2100.700-1
	ASCB-2400.700-1
	ASCB-2400.700-2
	ASCB-3000.700-2
	ASCB-3600.700-2
	ASCB-3600.700-3
	ASCB-4200.700-2
	ASCB-4800.700-2
	ASCB-4800.700-3
	ASCB-5400.700-3
	ASCB-6000.700-2
	ASCB-6000.700-4
	ASCB-6000.700-5

800 deep
worksurfaces

code	ASCB-1200.800-1
	ASCB-1500.800-1
	ASCB-1800.800-1
	ASCB-2100.800-1
	ASCB-2400.800-1
	ASCB-2400.800-2
	ASCB-3000.800-2
	ASCB-3600.800-2
	ASCB-3600.800-3
	ASCB-4200.800-2
	ASCB-4800.800-2
	ASCB-4800.800-3
	ASCB-5400.800-3
	ASCB-6000.800-2
	ASCB-6000.800-4
	ASCB-6000.800-5

Systems Bench type 'B'
- straight leg
- set-in 315mm
- fixed height - 720mm
note: standard worktop thickness 25mm
Please specify panel type: System 30, 45, E45 or Vide Panels



600 deep
worksurfaces

code	ASYB-1200.600-1
	ASYB-1500.600-1
	ASYB-1800.600-1
	ASYB-2100.600-1
	ASYB-2400.600-1
	ASYB-2400.600-2
	ASYB-3000.600-2
	ASYB-3600.600-2
	ASYB-3600.600-3
	ASYB-4200.600-2
	ASYB-4800.600-2
	ASYB-4800.600-3
	ASYB-5400.600-3
	ASYB-6000.600-2
	ASYB-6000.600-4
	ASYB-6000.600-5

700 deep
worksurfaces

code	ASYB-1200.700-1
	ASYB-1500.700-1
	ASYB-1800.700-1
	ASYB-2100.700-1
	ASYB-2400.700-1
	ASYB-2400.700-2
	ASYB-3000.700-2
	ASYB-3600.700-2
	ASYB-3600.700-3
	ASYB-4200.700-2
	ASYB-4800.700-2
	ASYB-4800.700-3
	ASYB-5400.700-3
	ASYB-6000.700-2
	ASYB-6000.700-4
	ASYB-6000.700-5

800 deep
worksurfaces


code	ASYB-1200.800-1
	ASYB-1500.800-1
	ASYB-1800.800-1
	ASYB-2100.800-1
	ASYB-2400.800-1
	ASYB-2400.800-2
	ASYB-3000.800-2
	ASYB-3600.800-2
	ASYB-3600.800-3
	ASYB-4200.800-2
	ASYB-4800.800-2
	ASYB-4800.800-3
	ASYB-5400.800-3
	ASYB-6000.800-2
	ASYB-6000.800-4
	ASYB-6000.800-5

Aire

returns

Aire returns can be added to meeting tables or work benches to maximise the user’s working space. Returns have a minimum depth of 700mm and a maximum depth of 800mm. Returns have one set-in of 35mm. Please specify the table type that the return will attach to when ordering.

Returns
- straight leg
- set-in 35mm
- fixed height - 720mm
note: standard worktop thickness 25mm



700 deep
worksurfaces

code	AR-600.700
	AR-700.700
	AR-800.700
	AR-900.700
	AR-1000.700
	AR-1200.700
	AR-1500.700


800 deep
worksurfaces

code	AR-600.800
	AR-700.800
	AR-800.800
	AR-900.800
	AR-1000.800
	AR-1200.800
	AR-1500.800


Aire Systems Bench with returns, Vide Panels and Lettric Above-Desk Service Modules.

Worksurfaces
Standard worksurfaces can be specified either 25mm or 33mm thick with square or rounded corners (50mm radius). Available finishes include laminates and timber veneers in selected colours. Edge profiles and finishes also offer choices with custom shapes, available on request.

Corner finish options




Edge options



Aire


specifications

Fold Tables




	set in 60	set in 200	Mobile
Standard	Y		Y
Standard		Y	Y
Wide	Y		Y
Wide		Y	Y

Round Fold Tables




	Mobile
Standard	Y
Wide	Y

Meeting Tables




	Straight	Splayed	set in 35	set in 150	set in 315	Fixed	Adjustable	Mobile
Type 'A'	Y				Y		Y	
Type 'B'	Y		Y				Y	
Type 'C'	Y				Y	Y		
Type 'D'	Y		Y			Y		
Type 'E'	Y				Y			Y
Type 'F'	Y		Y					Y
Type 'G'		Y			Y	Y		
Type 'H'		Y		Y		Y		
Type 'I'		Y			Y			Y
Type 'J'		Y		Y				Y

Round Meeting Tables



	Straight	Splayed	Fixed	Mobile
Type 'A'	Y		Y	
Type 'B'	Y			Y
Type 'C'		Y	Y	
Type 'D'		Y		Y

Work Benches





	Share	Scope	Systems	Straight	set in 35	set in 315	Fixed
Type 'A'	Y			Y	Y		Y
Type 'B'	Y			Y		Y	Y
Type 'A'		Y		Y	Y		Y
Type 'B'		Y		Y		Y	Y
Type 'A'			Y	Y	Y		Y
Type 'B'			Y	Y		Y	Y

Aire




Aire Media Stand/custom combinations

Made of aluminium and steel, the Aire Media Stand is robust, strong and durable. Fitted with 125mm castors and handles, the stand is effortless to move and manoeuvre. Custom colours are available upon request and must be specified. The standard powder coat colour is black. Aire Media Stand features a power box seamlessly integrated into the tabletop, with a variety of intergrated services including USB, HDMI and power.



Custom combinations

Aire Tables and legs can be used with other furniture items to create custom units. Contact Schiavello to discuss your requirements.



Aire with credenza

An Aire Table supported at one end by a four-door credenza and the other by an Aire fixed height, straight table leg with a 35mm set-in. The worksurface features sharknose edges and a Doshi Levien cable gate.

Aire / Lettric Softwiring system


connectors | tiles | power modules | wire baskets

Lettric Softwiring system

Schiavello Softwiring system delivers power and lighting to workstations. The system is easily connected, disconnected or relocated without the need to isolate power and with minimal inconvenience. All connections within systems are protected by a positive lock mechanism to prevent accidental power disconnection.


There are numerous outlet combinations available for each option. Refer to Schiavello Lettric Softwiring catalogue for complete product information and technical specification.

Softwiring connectors




Please see Lettric Softwiring catalogue for a comprehensive list of products

Tiles



Please see Lettric Softwiring catalogue for a comprehensive list of products


Power Modules



Please see Lettric Softwiring catalogue for a comprehensive list of products

Wire Baskets



Single or double powder coated Wire Baskets. Standard powder coat: white. Special colors and lengths available for quantity orders only.



Aire / Lettric Softwiring system

In-Desk Service Module | Below-Desk Service Module | Above-Desk Service Module | Outlet Housing Module



In-Desk Service Module



code	IDM-2P-0D (2 GPO)
	IDM-4P-0D (4 GPO)
	IDM-2P-4D (2 GPO + 4 DATA)
	IDM-4P-4D (4 GPO + 4 DATA)

Please see Lettric Softwiring catalogue for a comprehensive list of products

Below-Desk Service Module





code	BDM-2P-0D (2 GPO)
	BDM-4P-0D (4 GPO)
	BDM-2P-4D (2 GPO + 4 DATA)
	BDM-4P-4D (4 GPO + 4 DATA)

Please see Lettric Softwiring catalogue for a comprehensive list of products

Above-Desk Service Module

requires 15mm gap between the worksurface and the panel





code	ADM-2P-0D (2 GPO)
	ADM-2P-2D (2 GPO + 2 DATA)
	ADM-4P-0D (4 GPO)
	ADM-4P-2D (4 GPO + 2 DATA)
	ADM-2P-4D (2 GPO + 4 DATA)
	ADM-4P-4D (4 GPO + 4 DATA)

Please see Lettric Softwiring catalogue for a comprehensive list of products


Outlet Housing Module

requires a standard scallop cutout to the worksurface



code	OHM-2P-0D (2 GPO)
	OHM-2P-2D (2 GPO + 2 DATA)

Please see Lettric Softwiring catalogue for a comprehensive list of products



Aire electrical accessories

cable trays | Scope rail-mounted outlets | integrated flip lid

Aire cable trays are powder coated steel trays supplied in modular 700mm lengths with or without outlet mounts. The outlet mount is designed to hold a two-GPO Lettric softwired outlet. A cutout is provided in the end of each tray at 220mm x 20mm, and can be used with umbilicals to supply the wiring to the tray. Aire cable trays screw up to the bottom of the work surface.



Aire cable tray 700mm long

code	ACT-700
------	---------



Aire cable tray with outlet mount and cutout suits Lettric two-GPO outlet


code	ACT-700P
------	----------

Scope rail-mounted outlets

Outlets can be mounted to the transom rail running along the bottom of Scope rails. Mounting plates are a folded steel powder coated accessory designed to accommodate Lettric Softwiring GPOs and data plates.

Scope rail single power outlet with USB and data tile

- includes powder coated mounting plate
- include mounting bolts
- requires Scope flip lid




code	SC-1P
	SC-1P1D
	SC-1P2D
	SC-1P3D
	SC-1P2AUSB
	SC-1P2AUSB1D
	SC-1P2AUSB2D
	SC-1P2AUSB3D

Single power outlet with USB and data tile options

Scope rail double power outlet with USB and data tile

- includes powder coated mounting plate
- includes mounting bolts
- requires Scope flip lid




code	SC-2P
	SC-2P1D
	SC-2P2D
	SC-2P3D
	SC-2P2AUSB
	SC-2P2AUSB1D
	SC-2P2AUSB2D
	SC-2P2AUSB3D

Double power outlet with USB and data tile options

Scope rail quad power outlet with USB and data tile

- includes powder coated mounting plate
- includes mounting bolts
- requires Scope flip lid




code	SC-4P
	SC-4P1D
	SC-4P2D
	SC-4P3D
	SC-4P2AUSB
	SC-4P2AUSB1D
	SC-4P2AUSB2D
	SC-4P2AUSB3D

Quad power outlet with USB and data tile options

Intergrated flip lid


Uses a timber gate with special cutout



Complete integrated flip lid


code	F-IFL
------	-------

complete integrated flip lid, timber gate and Lettric undercarriage



Flip Lid

Back edge of the worksurface







Aire

Meeting Table legs | Round Table legs | Work Bench legs



Meeting Tables and returns

Straight legs are used on meeting tables and returns. Straight legs are cast metal legs finished in a powder coat finish from the Schiavello ColourLab range. Straight table legs are available in a range of different versions listed below.





Straight legs	Fixed height	Height adjustable	Mobile																
																			
side view straight leg	<table><tr><td>code</td><td>ALST-700F (for returns)</td></tr><tr><td></td><td>ALST-800F (for returns)</td></tr><tr><td></td><td>ALST-900F</td></tr><tr><td></td><td>ALST-1200F</td></tr></table>	code	ALST-700F (for returns)		ALST-800F (for returns)		ALST-900F		ALST-1200F	<table><tr><td>code</td><td>ALST-900HA</td></tr><tr><td></td><td>ALST-1200HA</td></tr></table>	code	ALST-900HA		ALST-1200HA	<table><tr><td>code</td><td>ALS-900M</td></tr><tr><td></td><td>ALS-1200M</td></tr></table>	code	ALS-900M		ALS-1200M
code	ALST-700F (for returns)																		
	ALST-800F (for returns)																		
	ALST-900F																		
	ALST-1200F																		
code	ALST-900HA																		
	ALST-1200HA																		
code	ALS-900M																		
	ALS-1200M																		

Meeting Tables only

Splayed legs are used with meeting tables only.



Splayed legs	Fixed height	Mobile								
										
side view splayed leg	<table><tr><td>code</td><td>ALSP-700F</td></tr><tr><td></td><td>ALSP-800F</td></tr></table>	code	ALSP-700F		ALSP-800F	<table><tr><td>code</td><td>ALSP-900M</td></tr><tr><td></td><td>ALSP-1200M</td></tr></table>	code	ALSP-900M		ALSP-1200M
code	ALSP-700F									
	ALSP-800F									
code	ALSP-900M									
	ALSP-1200M									

Work Benches are only available with straight legs. The width of the leg varies with the leg type. Please specify panel type for the Systems Table legs.

Straight legs	Share legs	Scope legs	Systems legs																				
																							
side view straight leg	<table><tr><td>code</td><td>ALSH-1200F</td></tr><tr><td></td><td>ALSH-1400F</td></tr><tr><td></td><td>ALSH-1600F</td></tr></table>	code	ALSH-1200F		ALSH-1400F		ALSH-1600F	<table><tr><td>code</td><td>ALSC-1200F</td></tr><tr><td></td><td>ALSC-1400F</td></tr><tr><td></td><td>ALSC-1600F</td></tr></table>	code	ALSC-1200F		ALSC-1400F		ALSC-1600F	<table><tr><td>code</td><td>ALSS-1200F</td></tr><tr><td></td><td>ALSS-1400F</td></tr><tr><td></td><td>ALSS-1600F</td></tr><tr><td colspan="2">please specify panel type</td></tr></table>	code	ALSS-1200F		ALSS-1400F		ALSS-1600F	please specify panel type	
code	ALSH-1200F																						
	ALSH-1400F																						
	ALSH-1600F																						
code	ALSC-1200F																						
	ALSC-1400F																						
	ALSC-1600F																						
code	ALSS-1200F																						
	ALSS-1400F																						
	ALSS-1600F																						
please specify panel type																							

Mid legs

Mid legs are used on work benches between worksurfaces. Mid legs come in two versions: central legs and panel legs. Both leg types are a full metal construction with a powder coat finish. Panel legs are used either side of a panel on Systems Benches. Central legs are used with Scope and Share Work Benches.

Panel	Central												
													
<table><tr><td>code</td><td>ALM-F</td></tr><tr><td></td><td>ALM-F</td></tr><tr><td></td><td>ALM-F</td></tr></table>	code	ALM-F		ALM-F		ALM-F	<table><tr><td>code</td><td>ALM-1200F</td></tr><tr><td></td><td>ALM-1400F</td></tr><tr><td></td><td>ALM-1600F</td></tr></table>	code	ALM-1200F		ALM-1400F		ALM-1600F
code	ALM-F												
	ALM-F												
	ALM-F												
code	ALM-1200F												
	ALM-1400F												
	ALM-1600F												

Product specifications

general / height adjustability / cable reticulation / finish / sustainability / warranty

General
Aire is a fully refined office desking and table system manufactured by Schiavello Australia. The system is modular, beam based with a broad range of applications. These include:

- Ergonomic workstations
- Office and executive desking
- Conference and board room tables

Aire has been tested for strength, durability, stability and function to AS/NZ 4442:1997 "Office desks".

Height adjustability
Height adjustability on selected legs only, height range 660mm - 760mm.

Cable reticulation
Aire supports Lettric Softwiring. The softwiring electrical system is Schiavello Lettric, certified to Australian Standard AS/NZS 3131.

Finish
All aluminium is powder coated to Australian Standard AS 3715-2002 in a range of standard or custom colours. All metal components are powder coated to Australian Standard AS4506 2005 in a range of standard or custom colours.

Sustainable
Aire is manufactured in accordance with international environmental standards: ISO 14001. All components are either reusable or recyclable.

Warranty
Aire is covered by a minimum five year warranty against faulty materials and workmanship. This includes a guarantee to all standard parts, components and service for a period of no less than 10 years from date of installation.

Melbourne Head Office
Schiavello [Vic] Pty Ltd
1 Sharps Road
Tullamarine VIC Australia 3043
T: 61] 3 9330 8888
F: 61] 3 9330 8899

Melbourne Showroom
Schiavello [Vic] Pty Ltd
31-49 Queensbridge Street
Southbank VIC Australia 3006
T: 61] 3 9674 1500
F: 61] 3 9764 1650

Adelaide
Schiavello [SA] Pty Ltd
Ground Floor, 101 Currie Street
Adelaide SA Australia 5000
T: 08] 8112 2300
F: 08] 8231 1419

Brisbane
Schiavello [QLD] Pty Ltd
265 Coronation Drive
Milton QLD Australia 4064
T: 07] 3368 3388
F: 07] 3368 2125

Canberra
Schiavello [ACT] Pty Ltd
2-6 Collie Street
Fyshwick ACT Australia 2609
T: 02] 6124 0500
F: 02] 6280 4370

Perth
Schiavello [WA] Pty Ltd
1315 Hay Street
West Perth WA Australia 6005
T: 08] 9322 6555
F: 08] 9322 1337

Sydney
Schiavello [NSW] Pty Ltd
69 Campbell Street
Surry Hills NSW Australia 2010
T: 02] 9211 3311
F: 02] 9212 3788

Singapore
Schiavello Singapore Pty Ltd
No.1 Magazine road
#01-05 Central Mall
Singapore 059567
T: 65] 6533 8011
F: 65] 6533 2811

www.schiavello.com
SCH/TMAI01-C

Schiavello Group Pty Ltd
reserves the right to change
any or all details without
prior notice. every effort
has been made to ensure
the information is accurate
at the time of printing.